VILLOREN

BATHROOM & DRAINAGE SYSTEMS

VILLOREN

DESIGN • FUNCTION • QUALITY

PRODUCT CATALOGUE 2027

THE BEST SOLUTION FOR YOUR BATHROOM

PRODUCT RANGE

- SHOWER CHANNELS
- FLOOR DRAINS
- BATHROOM ACCESSORIES
- SANITARY SOLUTIONS

www.villoren.com

VILLOREN

PRODUCT COLLECTIONS

01

Linear Shower Drains

02

Floor Drains

03



Drainage Channels

04

Toilet Seats

05

Grab Bars

06



Manhole Boxes

BFM TEKNİK YAPI

MALZEMELERİ LİMİTED ŞİRKETİ

ABOUT US

EXPERIENCE • INNOVATION • RELIABILITY

OUR STORY

Built on experience. Driven by progress.

The journey of BFM TEKNİK YAPI MALZEMELERİ LİMİTED ŞİRKETİ began long before the company was formally established. It is built upon more than 20 years of experience in the construction industry and specialised expertise in shower channels and drainage systems since 2015.

At our factory in Arnavutköy, Istanbul, we manufacture shower channels, floor drains, siphon systems and toilet seats under the Villoren brand, developing functional, reliable and aesthetically refined solutions for modern bathrooms.

Our dynamic structure enables us to respond rapidly to changing market requirements, emerging technologies and advanced manufacturing methods. By closely following industry developments, we continuously introduce innovative products and expand our range with solutions designed to meet tomorrow's expectations.

20+

YEARS IN CONSTRUCTION

SINCE 2015

DRAINAGE EXPERTISE

ISTANBUL

Arnavutköy production facility

MADE FOR MODERN BATHROOMS

OUR COMMITMENT

At every stage, from product design to manufacturing, we prioritise quality, durability, functionality and ease of use. By combining production experience with an innovative approach, we create solutions for the bathrooms of the future.

DESIGNING SOLUTIONS FOR THE BATHROOMS OF TOMORROW.

Quality, durability, functionality and ease of use - from product design to manufacturing.

LINEAR SHOWER DRAIN

FORTE

TECHNICAL DATA SHEET

48 L/MIN | AISI 304 | DUAL-FLAP

DIMENSIONAL DRAWING



Nominal 50 cm model shown. All dimensions are in millimetres. Drawing not to scale.

AVAILABLE SIZES

NOMINAL	OVERALL L	GRATE L
20 cm	198 mm	192 mm
30 cm	298 mm	292 mm
40 cm	398 mm	392 mm
50 cm	498 mm	492 mm
60 cm	598 mm	592 mm
70 cm	698 mm	692 mm
80 cm	798 mm	792 mm

COMMON: Ø50 | W 66/61 mm | H 64 mm | 48 L/min

MATERIALS & CONSTRUCTION

- **ROTATABLE BODY**
  Original high-grade ABS
- **STAINLESS PARTS**
  Channel/frame + grate: AISI 304 - 1.0 mm
- **PROTECTION**
  Dual non-return flaps + S-type water seal

FUNCTIONAL PERFORMANCE

1 48 L/min high-flow discharge
Efficient water evacuation for modern shower areas.

2 Dual-flap barrier
Helps prevent sewer insects and similar pests from entering through the drainage line.

3 S-type water seal
The rotatable siphon body retains water inside its S-profile to block sewer gases and unpleasant odours.

4 Installation flexibility
Rotatable Ø50 mm side outlet and adjustable feet support accurate positioning on site.

! CARE & MAINTENANCE WARNING

- Do not use hydrochloric acid, drain openers, chlorine bleach, abrasive powders or strongly acidic / alkaline chemicals.
- Use a pH-neutral cleaner with a soft cloth or sponge. Rinse thoroughly with clean water and dry after cleaning.
- Remove cement, grout and construction residues immediately. Inspect and clean the grate, water seal and dual flaps periodically.

FORTE SERIES

Linear shower drains engineered for reliable performance

DIRECT OUTLET

FORTE DIRECT

DIRECT SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.100P.20.01	20 CM	12	
BFM.100P.30.01	30 CM	12	
BFM.100P.40.01	40 CM	12	
BFM.100P.50.01	50 CM	12	
BFM.100P.60.01	60 CM	12	
BFM.100P.70.01	70 CM	12	
BFM.100P.80.01	80 CM	12	

360° ROTATING

FORTE 360°

ROTATING SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.100Y.20.01	20 CM	12	
BFM.100Y.30.01	30 CM	12	
BFM.100Y.40.01	40 CM	12	
BFM.100Y.50.01	50 CM	12	
BFM.100Y.60.01	60 CM	12	
BFM.100Y.70.01	70 CM	12	
BFM.100Y.80.01	80 CM	12	

VERTICAL OUTLET

FORTE 100

DIRECT SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.100K.20.01	20 CM	12	
BFM.100K.30.01	30 CM	12	
BFM.100K.40.01	40 CM	12	
BFM.100K.50.01	50 CM	12	
BFM.100K.60.01	60 CM	12	
BFM.100K.70.01	70 CM	12	
BFM.100K.80.01	80 CM	12	

Premium drainage solutions

COLOR OPTIONS

CHROME

MATTE BLACK

PVD GOLD

S TYPE SIFON

STANDARD SIFON

HEIGHT ADJUSTABLE SIPHON

GRID OPTIONS



PLAIN

RAIN

LINE

LINEAR SHOWER DRAIN

ALFA

TECHNICAL DATA SHEET

48 L/MIN | AISI 304 | DUAL-FLAP

DIMENSIONAL DRAWING



Nominal 50 cm ALFA model shown. All dimensions are in millimetres. Drawing not to scale.

AVAILABLE SIZES

NOMINAL	OVERALL L	GRATE L
20 cm	198 mm	192 mm
30 cm	298 mm	292 mm
40 cm	398 mm	392 mm
50 cm	498 mm	492 mm
60 cm	598 mm	592 mm
70 cm	698 mm	692 mm
80 cm	798 mm	792 mm

COMMON: Ø50 | W 66/61 mm | H 71 mm | 48 L/min

MATERIALS & CONSTRUCTION

- **ROTATABLE BODY**
  Original high-grade ABS
- **CHANNEL / FRAME**
  AISI 304 stainless steel - 1.2 mm
- **GRATE**
  AISI 304 stainless steel - 1.0 mm
- **PROTECTION**
  Dual non-return flaps + S-type water seal

FUNCTIONAL PERFORMANCE

1 48 L/min high-flow discharge
Efficient water evacuation for modern shower areas.

2 Dual-flap barrier
Helps prevent sewer insects and similar pests from entering through the drainage line.

3 S-type water seal
The rotatable siphon body retains water inside its S-profile to block sewer gases and unpleasant odours.

4 Installation flexibility
Rotatable Ø50 mm side outlet and adjustable feet support accurate positioning on site.

! CARE & MAINTENANCE WARNING

- Do not use hydrochloric acid, drain openers, chlorine bleach, abrasive powders or strongly acidic / alkaline chemicals.
- Use a pH-neutral cleaner with a soft cloth or sponge. Rinse thoroughly with clean water and dry after cleaning.
- Remove cement, grout and construction residues immediately. Inspect and clean the grate, water seal and dual flaps periodically.

ALFA SERIES

Linear shower drains engineered for reliable performance

DIRECT OUTLET

ALFA DIRECT

DIRECT SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.101P.20.01	20 CM	12	
BFM.101P.30.01	30 CM	12	
BFM.101P.40.01	40 CM	12	
BFM.101P.50.01	50 CM	12	
BFM.101P.60.01	60 CM	12	
BFM.101P.70.01	70 CM	12	
BFM.101P.80.01	80 CM	12	

360° ROTATING

ALFA 360°

ROTATING SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.101Y.20.01	20 CM	12	
BFM.101Y.30.01	30 CM	12	
BFM.101Y.40.01	40 CM	12	
BFM.101Y.50.01	50 CM	12	
BFM.101Y.60.01	60 CM	12	
BFM.101Y.70.01	70 CM	12	
BFM.101Y.80.01	80 CM	12	

VERTICAL OUTLET

ALFA 100

DIRECT SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.101K.20.01	20 CM	12	
BFM.101K.30.01	30 CM	12	
BFM.101K.40.01	40 CM	12	
BFM.101K.50.01	50 CM	12	
BFM.101K.60.01	60 CM	12	
BFM.101K.70.01	70 CM	12	
BFM.101K.80.01	80 CM	12	

Premium drainage solutions

COLOR OPTIONS

CHROME

MATTE BLACK

PVD GOLD

S TYPE SIFON

STANDARD SIFON

HEIGHT ADJUSTABLE SIPHON

GRID OPTIONS

PLAIN

RAIN

LINE

LINEAR SHOWER DRAIN

GALA

TECHNICAL DATA SHEET

48 L/MIN | TILE-IN | DUAL-FLAP

DIMENSIONAL DRAWING



Nominal 50 cm GALA model shown. All dimensions are in millimetres. Drawing not to scale.

AVAILABLE SIZES

NOMINAL	OVERALL L	GRATE L
20 cm	198 mm	192 mm
30 cm	298 mm	292 mm
40 cm	398 mm	392 mm
50 cm	498 mm	492 mm
60 cm	598 mm	592 mm
70 cm	698 mm	692 mm
80 cm	798 mm	792 mm

COMMON: Ø50 | W 66/61 mm | H 71 mm | 48 L/min

MATERIALS & CONSTRUCTION

- **ROTATABLE BODY**
  Original high-grade ABS
- **CHANNEL / FRAME**
  AISI 304 stainless steel - 1.2 mm
- **GRATE**
  AISI 304 stainless steel - 1.0 mm
- **PROTECTION**
  Dual non-return flaps + S-type water seal

FUNCTIONAL PERFORMANCE

1 Tile-in architectural finish
The recessed tray accepts a cut-to-size ceramic tile for a clean, continuous floor appearance.

2 48 L/min high-flow discharge
Efficient water evacuation for modern shower areas.

3 Dual-flap barrier
Helps prevent sewer insects and similar pests from entering through the drainage line.

4 S-type water seal
The rotatable siphon body retains water inside its S-profile to block sewer gases and unpleasant odours.

! CARE & MAINTENANCE WARNING

- Do not use hydrochloric acid, drain openers, chlorine bleach, abrasive powders or strongly acidic / alkaline chemicals.
- Use a pH-neutral cleaner with a soft cloth or sponge. Rinse thoroughly with clean water and dry after cleaning.
- Remove cement, grout and construction residues immediately. Inspect and clean the grate, water seal and dual flaps periodically.

GALA SERIES

Linear shower drains engineered for reliable performance

DIRECT OUTLET

GALA DIRECT

DIRECT SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.102P.20.01	20 CM	12	
BFM.102P.30.01	30 CM	12	
BFM.102P.40.01	40 CM	12	
BFM.102P.50.01	50 CM	12	
BFM.102P.60.01	60 CM	12	
BFM.102P.70.01	70 CM	12	
BFM.102P.80.01	80 CM	12	

360° ROTATING

GALA 360°

ROTATING SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.102Y.20.01	20 CM	12	
BFM.102Y.30.01	30 CM	12	
BFM.102Y.40.01	40 CM	12	
BFM.102Y.50.01	50 CM	12	
BFM.102Y.60.01	60 CM	12	
BFM.102Y.70.01	70 CM	12	
BFM.102Y.80.01	80 CM	12	

VERTICAL OUTLET

GALA 100

DIRECT SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.102K.20.01	20 CM	12	
BFM.102K.30.01	30 CM	12	
BFM.102K.40.01	40 CM	12	
BFM.102K.50.01	50 CM	12	
BFM.102K.60.01	60 CM	12	
BFM.102K.70.01	70 CM	12	
BFM.102K.80.01	80 CM	12	

Premium drainage solutions

COLOR OPTIONS

CHROME MATTE BLACK PVD GOLD

S TYPE SIFON

STANDARD SIFON

HEIGHT ADJUSTABLE SIPHON

GRID OPTIONS



PLAIN

RAIN

LINE

LINEAR SHOWER DRAIN

LUNA

TECHNICAL DATA SHEET

ABS BODY | MEMBRANE-READY | DUAL-FLAP

DIMENSIONAL DRAWING



Nominal 50 cm LUNA model shown. All dimensions are in millimetres. Drawing not to scale.

AVAILABLE SIZES

NOMINAL	OVERALL L	GRATE L
30 cm	353 mm	299 mm
40 cm	453 mm	399 mm
50 cm	553 mm	499 mm
60 cm	653 mm	599 mm
80 cm	853 mm	799 mm

COMMON: Ø50 | W 142/64.5 mm | H 70 mm | 48 L/min

MATERIALS & CONSTRUCTION

- **CHANNEL BODY**
  Original high-grade ABS
- **GRATE**
  AISI 304 stainless steel - 1.0 mm
- **SIDE FLANGES**
  Integral ABS - membrane ready
- **PROTECTION**
  Dual non-return flaps + S-type water seal

FUNCTIONAL PERFORMANCE

1 Durable ABS channel body

The channel and integrated side flanges are produced from high-grade ABS.

2 Membrane-ready side flanges

Wide integral flanges provide a suitable surface for applying the waterproofing membrane.

3 Dual-flap barrier

Two internal non-return flaps help block sewer insects and unpleasant odours.

4 S-type water seal

The rotatable siphon retains water inside its S-profile for additional protection against sewer gases.

! CARE & MAINTENANCE WARNING

- Do not use hydrochloric acid, drain openers, chlorine bleach, abrasive powders or strongly acidic / alkaline chemicals.
- Use a pH-neutral cleaner with a soft cloth or sponge. Rinse thoroughly with clean water and dry after cleaning.
- Remove cement, grout and construction residues immediately. Inspect and clean the grate, water seal and dual flaps periodically.

01 LUNA ROTATION 360°

ROTATING SHOWER DRAIN

RAIN GRATE

CODE	SIZE	PCS/BOX	PRICE
BFM.115Y.30.01	30 CM	12	
BFM.115Y.40.01	40 CM	12	
BFM.115Y.50.01	50 CM	12	
BFM.115Y.60.01	60 CM	12	
BFM.115Y.80.01	80 CM	12	

02 LUNA ROTATION 360°

WITH WATERPROOF MEMBRANE

MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.115Y.30.0M	30 CM	12	
BFM.115Y.40.0M	40 CM	12	
BFM.115Y.50.0M	50 CM	12	
BFM.115Y.60.0M	60 CM	12	
BFM.115Y.80.0M	80 CM	12	

03 LUNA GALA ROTATION 360°

TILE INSERT SHOWER DRAIN

TILE INSERT

CODE	SIZE	PCS/BOX	PRICE
BFM.115D.30.01	30 CM	12	
BFM.115D.40.01	40 CM	12	
BFM.115D.50.01	50 CM	12	
BFM.115D.60.01	60 CM	12	
BFM.115D.80.01	80 CM	12	

04 LUNA GALA ROTATION 360°

WITH WATERPROOF MEMBRANE

MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.115D.30.0M	30 CM	12	
BFM.115D.40.0M	40 CM	12	
BFM.115D.50.0M	50 CM	12	
BFM.115D.60.0M	60 CM	12	
BFM.115D.80.0M	80 CM	12	

Premium drainage solutions

COLOR OPTIONS



CHROME MATTE BLACK PVD GOLD

S TYPE SIFON STANDARD SIFON

GRID OPTIONS

PLAIN RAIN LINE

VILLOREN

THE BEST SOLUTION
FOR YOUR BATHROOM

ELEGANCE THAT BLENDS IN

A tile-in shower drain designed to become part of the floor. Its clean lines and discreet finish let the beauty of your bathroom take center stage.

01 FRAMED LUNA ROTATION 360°

FRAMED ROTATING SHOWER DRAIN

FRAMED RAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.115L.30.01	30 CM	12	
BFM.115L.40.01	40 CM	12	
BFM.115L.50.01	50 CM	12	
BFM.115L.60.01	60 CM	12	
BFM.115L.80.01	80 CM	12	

02 FRAMED LUNA ROTATION 360°

WITH WATERPROOF MEMBRANE

FRAMED MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.115L.30.0M	30 CM	12	
BFM.115L.40.0M	40 CM	12	
BFM.115L.50.0M	50 CM	12	
BFM.115L.60.0M	60 CM	12	
BFM.115L.80.0M	80 CM	12	

03 FRAMED LUNA GALA ROTATION 360°

FRAMED TILE INSERT SHOWER DRAIN

FRAMED TILE INSERT

CODE	SIZE	PCS/BOX	PRICE
BFM.115F.30.01	30 CM	12	
BFM.115F.40.01	40 CM	12	
BFM.115F.50.01	50 CM	12	
BFM.115F.60.01	60 CM	12	
BFM.115F.80.01	80 CM	12	

04 FRAMED LUNA GALA ROTATION 360°

WITH WATERPROOF MEMBRANE

FRAMED MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.115F.30.0M	30 CM	12	
BFM.115F.40.0M	40 CM	12	
BFM.115F.50.0M	50 CM	12	
BFM.115F.60.0M	60 CM	12	
BFM.115F.80.0M	80 CM	12	

COLOR OPTIONS



CHROME MATTE BLACK PVD GOLD

S TYPE SIFON STANDARD SIFON HEIGHT ADJUSTABLE SIPHON

GRID OPTIONS

PLAIN RAIN LINE

A REFINED LINE OF DESIGN

Clean lines, considered details, and a seamless finish for the modern shower.

01 LUNA BLACK GLASS ROTATION 360°

BLACK GLASS SHOWER DRAIN

BLACK GLASS

CODE	SIZE	PCS/BOX	PRICE
BFM.115G.30.01	30 CM	12	
BFM.115G.40.01	40 CM	12	
BFM.115G.50.01	50 CM	12	
BFM.115G.60.01	60 CM	12	
BFM.115G.80.01	80 CM	12	

02 LUNA BLACK GLASS ROTATION 360°

WITH WATERPROOF MEMBRANE

MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.115G.30.0M	30 CM	12	
BFM.115G.40.0M	40 CM	12	
BFM.115G.50.0M	50 CM	12	
BFM.115G.60.0M	60 CM	12	
BFM.115G.80.0M	80 CM	12	

03 MAXIMA N ROTATION 360°

DESIGN GRATE SHOWER DRAIN

MAXIMA N

CODE	SIZE	PCS/BOX	PRICE
BFM.104D.30.01	30 CM	12	
BFM.104D.40.01	40 CM	12	
BFM.104D.50.01	50 CM	12	
BFM.104D.60.01	60 CM	12	
BFM.104D.80.01	80 CM	12	

04 MAXIMA N ROTATION 360°

WITH WATERPROOF MEMBRANE

MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.104D.30.0M	30 CM	12	
BFM.104D.40.0M	40 CM	12	
BFM.104D.50.0M	50 CM	12	
BFM.104D.60.0M	60 CM	12	
BFM.104D.80.0M	80 CM	12	

Premium drainage solutions

COLOR OPTIONS

GRID OPTIONS

LINEAR SHOWER DRAIN

MAXI-GALA

TECHNICAL DATA SHEET

TILE-IN | MEMBRANE FLANGE | 4-POINT LEVELING

DIMENSIONAL DRAWING



Nominal 50 cm MAXI-GALA shown. Dimensions in millimetres. Drawing not to scale.

AVAILABLE SIZES

NOMINAL	OVERALL L	TILE TRAY
30 cm	354 mm	288 mm
40 cm	454 mm	388 mm
50 cm	554 mm	488 mm
60 cm	654 mm	588 mm
80 cm	854 mm	788 mm

COMMON: Ø50 | W 120 mm | HEIGHT ADJUSTABLE

MATERIALS & CONSTRUCTION

- **FLANGED BODY**
  Original high-grade ABS
- **INNER FRAME**
  AISI 304 stainless steel - 1.0 mm
- **TILE-IN GRATE**
  AISI 304 stainless steel - 1.0 mm
- **LEVELING SYSTEM**
  4 internal plastic adjustment screws

FUNCTIONAL PERFORMANCE

1 Tile-in architectural finish

The recessed stainless tray accepts a cut-to-size ceramic tile for a continuous floor appearance.

2 Post-screed fine levelling

Four internal plastic adjustment screws allow precise final alignment after the screed is completed.

3 Membrane-ready flange

The wide ABS flange provides a continuous surface for secure waterproofing-membrane application.

4 Dual protection system

Dual non-return flaps and the S-type water seal help block sewer insects, gases and unpleasant odours.

! CARE & MAINTENANCE WARNING

- Do not use hydrochloric acid, drain openers, chlorine bleach, abrasive powders or strongly acidic / alkaline chemicals.
- Use a pH-neutral cleaner with a soft cloth or sponge. Rinse thoroughly with clean water and dry after cleaning.
- Remove cement and grout residues immediately. Periodically clean the grate, inner frame, S-type water seal and dual flaps.

01 MAXIMA ROTATION 360°

RAIN GRATE SHOWER DRAIN

RAIN GRATE

CODE	SIZE	PCS/BOX	PRICE
BFM.117Y.30.01	30 CM	12	
BFM.117Y.40.01	40 CM	12	
BFM.117Y.50.01	50 CM	12	
BFM.117Y.60.01	60 CM	12	
BFM.117Y.80.01	80 CM	12	

02 MAXIMA ROTATION 360°

WITH WATERPROOF MEMBRANE

MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.117Y.30.0M	30 CM	12	
BFM.117Y.40.0M	40 CM	12	
BFM.117Y.50.0M	50 CM	12	
BFM.117Y.60.0M	60 CM	12	
BFM.117Y.80.0M	80 CM	12	

03 MAXI-GALA ROTATION 360°

TILE INSERT SHOWER DRAIN

TILE INSERT

CODE	SIZE	PCS/BOX	PRICE
BFM.117D.30.01	30 CM	12	
BFM.117D.40.01	40 CM	12	
BFM.117D.50.01	50 CM	12	
BFM.117D.60.01	60 CM	12	
BFM.117D.80.01	80 CM	12	

04 MAXI-GALA ROTATION 360°

WITH WATERPROOF MEMBRANE

MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.117D.30.0M	30 CM	12	
BFM.117D.40.0M	40 CM	12	
BFM.117D.50.0M	50 CM	12	
BFM.117D.60.0M	60 CM	12	
BFM.117D.80.0M	80 CM	12	

Premium drainage solutions

COLOR OPTIONS



GRID OPTIONS

LINEAR SHOWER DRAIN

SLIMEX

TECHNICAL DATA SHEET

SLIM PROFILE | MEMBRANE-READY | SINGLE-FLAP

DIMENSIONAL DRAWING



Nominal 50 cm SLIMEX model shown. All dimensions are in millimetres. Drawing not to scale.

AVAILABLE SIZES

NOMINAL	OVERALL L	OVERALL W
40 cm	400 mm	80 mm
50 cm	500 mm	80 mm
60 cm	600 mm	80 mm
70 cm	700 mm	80 mm
80 cm	800 mm	80 mm

COMMON: Ø50 | W 80 mm | H 70-82.5 mm | 48 L/min

MATERIALS & CONSTRUCTION

- **CHANNEL BODY**
  AISI 304 stainless steel - 1.2 mm
- **GRATE**
  AISI 304 stainless steel - 1.0 mm
- **SIDE FLANGES**
  Stainless steel - membrane ready
- **PROTECTION**
  ABS S-type body + single non-return flap

FUNCTIONAL PERFORMANCE

1 Slim architectural profile

A narrow channel design creates a refined and minimal line in the shower floor.

2 Membrane-ready side flanges

Wide stainless steel flanges provide a suitable surface for applying the waterproofing membrane.

3 Single-flap odour barrier

The internal non-return flap helps block sewer insects and unpleasant odours.

4 S-type water seal

The rotatable siphon retains water inside its S-profile for additional protection against sewer gases.

! CARE & MAINTENANCE WARNING

- Do not use hydrochloric acid, drain openers, chlorine bleach, abrasive powders or strongly acidic / alkaline chemicals.
- Use a pH-neutral cleaner with a soft cloth or sponge. Rinse thoroughly with clean water and dry after cleaning.
- Remove cement, grout and construction residues immediately. Inspect and clean the grate, water seal and single flap periodically.

SLIM SERIES

Slim-profile shower drains for modern bathrooms

LINE GRID

SLIM ALFA

LINEAR SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.101S.40.01	40 CM	12	
BFM.101S.50.01	50 CM	12	
BFM.101S.60.01	60 CM	12	
BFM.101S.70.01	70 CM	12	
BFM.101S.80.01	80 CM	12	

SLIM CHANNEL

SLIMEX

SLIM LINEAR SHOWER DRAIN

CODE	SIZE	PCS/BOX	PRICE
BFM.101SL.40.01	40 CM	12	
BFM.101SL.50.01	50 CM	12	
BFM.101SL.60.01	60 CM	12	
BFM.101SL.70.01	70 CM	12	
BFM.101SL.80.01	80 CM	12	

COLOR OPTIONS

GRID OPTIONS

LINEAR SHOWER DRAIN

QUATTRO

TECHNICAL DATA SHEET

STAINLESS STEEL | MEMBRANE-READY | DUAL-FLAP

DIMENSIONAL DRAWING



Nominal 50 cm QUATTRO shown. Dimensions in millimetres. Drawing not to scale.

AVAILABLE SIZES

NOMINAL	OVERALL L	GRATE L
30 cm	353 mm	299 mm
40 cm	453 mm	399 mm
50 cm	553 mm	499 mm
60 cm	653 mm	599 mm
70 cm	753 mm	699 mm
80 cm	853 mm	799 mm

COMMON: Ø50 | W 118.5 mm | H 70 mm

MATERIALS & CONSTRUCTION

- **CHANNEL BODY**
  Stainless steel - 1.2 mm
- **GRATE**
  Stainless steel - 1.0 mm
- **SIDE FLANGES**
  Stainless steel - membrane ready
- **PROTECTION**
  Dual flaps + S-type water seal

FUNCTIONAL PERFORMANCE

1 All-stainless drainage surface

The 1.2 mm channel body, 1.0 mm grate and side flanges form a robust stainless-steel assembly.

2 Membrane-ready side flanges

Wide stainless flanges provide a secure working surface for waterproofing-membrane application.

3 Dual-flap barrier

Two non-return flaps help prevent sewer insects and similar pests from entering the shower area.

4 S-type water seal

The rotatable siphon retains water inside its S-profile to block sewer gases and unpleasant odours.

! CARE & MAINTENANCE WARNING

- Do not use hydrochloric acid, drain openers, chlorine bleach, abrasive powders or strongly acidic / alkaline chemicals.
- Use a pH-neutral cleaner with a soft cloth or sponge. Rinse thoroughly with clean water and dry after cleaning.
- Remove cement and grout residues immediately. Periodically clean the grate, S-type water seal and dual flaps.

QUATTRO SERIES

360° ROTATING LINEAR SHOWER DRAINS

01 QUATTRO ROTATION 360°

RAIN GRATE SHOWER DRAIN

RAIN GRATE

CODE	SIZE	PCS/BOX	PRICE
BFM.118Y.30.01	30 CM	12	
BFM.118Y.40.01	40 CM	12	
BFM.118Y.50.01	50 CM	12	
BFM.118Y.60.01	60 CM	12	
BFM.118Y.70.01	70 CM	12	
BFM.118Y.80.01	80 CM	12	

02 QUATTRO ROTATION 360°

WITH WATERPROOF MEMBRANE

MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.118Y.30.0M	30 CM	12	
BFM.118Y.40.0M	40 CM	12	
BFM.118Y.50.0M	50 CM	12	
BFM.118Y.60.0M	60 CM	12	
BFM.118Y.70.0M	70 CM	12	
BFM.118Y.80.0M	80 CM	12	

03 QUATTRO GALA ROTATION 360°

TILE INSERT SHOWER DRAIN

TILE INSERT

CODE	SIZE	PCS/BOX	PRICE
BFM.118D.30.01	30 CM	12	
BFM.118D.40.01	40 CM	12	
BFM.118D.50.01	50 CM	12	
BFM.118D.60.01	60 CM	12	
BFM.118D.70.01	70 CM	12	
BFM.118D.80.01	80 CM	12	

04 QUATTRO GALA ROTATION 360°

WITH WATERPROOF MEMBRANE

MEMBRANE

CODE	SIZE	PCS/BOX	PRICE
BFM.118D.30.0M	30 CM	12	
BFM.118D.40.0M	40 CM	12	
BFM.118D.50.0M	50 CM	12	
BFM.118D.60.0M	60 CM	12	
BFM.118D.70.0M	70 CM	12	
BFM.118D.80.0M	80 CM	12	

Premium drainage solutions

COLOR OPTIONS



GRID OPTIONS

TRIANGULAR TILE INSERT

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.129Y.33.10	Ø50	32 × 23 × 23 cm	20	

TRIANGULAR GRATE

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.129Y.33.20	Ø50	32 × 23 × 23 cm	20	

NOVA 10×10 TILE INSERT

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.128Y.1010	Ø50	11 × 11 cm	24	

NOVA 10×10 GRATE

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.128Y.1020	Ø50	11 × 11 cm	24	

NOVA 15×15 TILE INSERT

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.128Y.1510	Ø50	15 × 15 cm	24	

NOVA 15×15 GRATE

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.128Y.1520	Ø50	15 × 15 cm	24	

TRIANGULAR TILE INSERT

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.129Y.33.1M	Ø50	32 × 23 × 23 cm	20	

TRIANGULAR GRATE

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.129Y.33.2M	Ø50	32 × 23 × 23 cm	20	

NOVA 10×10 TILE INSERT

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.128Y.101M	Ø50	11 × 11 cm	24	

NOVA 10×10 GRATE

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.128Y.102M	Ø50	11 × 11 cm	24	

NOVA 15×15 TILE INSERT

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.128Y.151M	Ø50	15 × 15 cm	24	

NOVA 15×15 GRATE

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.128Y.152M	Ø50	15 × 15 cm	24	



A SEAMLESS EXPRESSION OF STYLE

A tile-in drain that blends naturally with your floor, bringing quiet elegance to every shower.

10×10 BOTTOM OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130P.1001	Ø50	11×11 cm	48	

10×10 SIDE OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130Y.1001	Ø50	11×11 cm	48	

10×10 BOTTOM OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130K.1001	Ø100	11×11 cm	24	

15×15 BOTTOM OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130P.1501	Ø50	15×15 cm	48	

15×15 SIDE OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130Y.1501	Ø50	15×15 cm	24	

15×15 BOTTOM OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130K.1501	Ø100	15×15 cm	24	

20×20 BOTTOM OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130P.2001	Ø50	20×20 cm	12	

20×20 SIDE OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130Y.2001	Ø50	20×20 cm	12	

20×20 BOTTOM OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.130K.2001	Ø100	20×20 cm	12	

10x10 SIDE OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.300.1010Y.50.S1	Ø50	11 x 11 cm	100	
BFM.300.1010Y.40.S1	Ø40	11 x 11 cm	100	

10x10 BOTTOM OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.300.1010A.50.S1	Ø50	11 x 11 cm	100	
BFM.300.1010A.70.S1	Ø70	11 x 11 cm	100	

15x15 SIDE OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.300.1515Y.50.S1	Ø50	15 x 15 cm	100	
BFM.300.1515Y.40.S1	Ø40	15 x 15 cm	100	

15x15 BOTTOM OUTLET

CODE	OUTLET	SIZE	PCS/BOX	PRICE
BFM.300.1515A.50.S1	Ø50	15 x 15 cm	100	
BFM.300.1515A.70.S1	Ø70	15 x 15 cm	100	

10x10 DIRECT 100Ø

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1010.0S	100Ø	10x10 CM	100 PCS

15x15 DIRECT 100Ø

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1515.0S	100Ø	15x15 CM	80 PCS

10x10 H.O 50Ø

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1010.YS	50Ø	10x10 CM	-

15x15 H.O 50Ø

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1515.YS	50Ø	15x15 CM	-

10x10 V.O 50Ø

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1010.AS	50Ø	10x10 CM	-

15x15 V.O 50Ø

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1515.AS	50Ø	15x15 CM	-

10x10 H.O 50Ø MEMBRANE

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1010.YSM	50Ø	10x10 CM	-

15x15 H.O 50Ø MEMBRANE

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1515.YSM	50Ø	15x15 CM	-

10x10 V.O 50Ø MEMBRANE

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1010.ASM	50Ø	10x10 CM	-

15x15 V.O 50Ø MEMBRANE

CODE	OUTLET	SIZE	PCS/BOX
BFM.132.1515.ASM	50Ø	15x15 CM	-

ELEGANCE THAT LASTS.

Slim design. Reliable strength. Everyday comfort.

QUARTS

TOILET SEAT COVER

TOOL-FREE | EASY CLEANING

Removes and refits in seconds for easier, more hygienic cleaning.

TECHNICAL DRAWING

CODE	PCS IN BOX	PRICE
BFM.TS.001	10	_____

PEARL

TOILET SEAT COVER

SOFT CLOSE | QUIET CLOSING

Soft close comfort with quick removal for easier cleaning.

TECHNICAL DRAWING

CODE	PCS IN BOX	PRICE
BFM.TS.002	10	_____

DIAMOND

TOILET SEAT COVER

SOFT CLOSE | QUIET CLOSING

Soft close comfort with quick removal for easier cleaning.

TECHNICAL DRAWING

CODE	PCS IN BOX	PRICE
BFM.TS.003	10	_____

SAPHIRE

TOILET SEAT COVER

SOFT CLOSE | QUIET CLOSING

Soft close comfort with quick removal for easier cleaning.

TECHNICAL DRAWING



CODE	PCS IN BOX	PRICE
BFM.TS.004	10	_____

VILLEROY

19Ø POLISHED

STAINLESS STEEL GRAB BAR

CODE	SIZE	Ø	FINISH	PCS/BOX	PRICE
BFM.200.1920	20 CM	19Ø	POLISHED	10	
BFM.200.1930	30 CM	19Ø	POLISHED	10	
BFM.200.1940	40 CM	19Ø	POLISHED	10	
BFM.200.1950	50 CM	19Ø	POLISHED	10	
BFM.200.1960	60 CM	19Ø	POLISHED	10	

25Ø POLISHED

STAINLESS STEEL GRAB BAR

CODE	SIZE	Ø	FINISH	PCS/BOX	PRICE
BFM.200.2520	20 CM	25Ø	POLISHED	10	
BFM.200.2530	30 CM	25Ø	POLISHED	10	
BFM.200.2540	40 CM	25Ø	POLISHED	10	
BFM.200.2550	50 CM	25Ø	POLISHED	10	
BFM.200.2560	60 CM	25Ø	POLISHED	10	

32Ø MAT

STAINLESS STEEL GRAB BAR

CODE	SIZE	Ø	FINISH	PCS/BOX	PRICE
BFM.200.3230	30 CM	32Ø	MAT	10	
BFM.200.3240	40 CM	32Ø	MAT	10	
BFM.200.3250	50 CM	32Ø	MAT	10	
BFM.200.3260	60 CM	32Ø	MAT	10	

HINGED SUPPORT RAILS

FOLDING MODELS

CODE	MODEL	Ø	FINISH	PCS/BOX	PRICE
BFM.200.3210	PLAIN	32Ø	MAT	10	
BFM.200.3211	PAPER HOLDER	32Ø	MAT	10	

FLOOR-TO-WALL GRAB BARS

TWO SUPPORT OPTIONS

CODE	MODEL	Ø	FINISH	PCS/BOX	PRICE
BFM.200.3212	FIXED	32Ø	MAT	10	
BFM.200.3213	ROTATING FOOT	32Ø	MAT	10	

ANGLED GRAB BARS

25Ø / 32Ø

CODE	MODEL	Ø	FINISH	PCS/BOX	PRICE
BFM.200.3214	ANGLED	25Ø	MAT	10	
BFM.200.3215	ANGLED	32Ø	MAT	10	

FOLDING SHOWER SEATS

SPACE-SAVING DESIGN



CODE	MODEL	Ø	FINISH	PCS/BOX	PRICE
BFM.200.3216	PLASTIC SEAT	19Ø	PLASTIC	10	
BFM.200.3217	WOODEN SEAT	19Ø	WOODEN	10	

DRAINAGE BODIES

DRAINAGE BODY

CODE	COLOR	SIZE	PCS IN BOX
100x55x500			
BFM.4001Y0	H.O GREY	100x55x500	70
BFM.4001YB	H.O BLACK	100x55x500	70
BFM.4001A0	V.O GREY	100x55x500	70
BFM.4001AB	V.O BLACK	100x55x500	70
130x75x500			
BFM.4002Y0	H.O GREY	130x75x500	70
BFM.4002YB	H.O BLACK	130x75x500	70
BFM.4002A0	V.O GREY	130x75x500	70
BFM.4002AB	V.O BLACK	130x75x500	70
130x75x1000			
BFM.4003Y0	H.O GREY	130x75x1000	20
BFM.4003YB	H.O BLACK	130x75x1000	20
BFM.4003A0	V.O GREY	130x75x1000	20
BFM.4003AB	V.O BLACK	130x75x1000	20
200x80x500			
BFM.4004Y0	H.O GREY	200x80x500	20
BFM.4004YB	H.O BLACK	200x80x500	20
BFM.4004A0	V.O GREY	200x80x500	16
BFM.4004AB	V.O BLACK	200x80x500	16

DRAINAGE GRILLES

PLASTIC GRILLE

SS 304 GRILLE

CODE	COLOR	SIZE	PCS IN BOX
100x500			
BFM.4005PG	PLASTIC GREY	100x500	65
BFM.4005PB	PLASTIC BLACK	100x500	65
BFM.4005SS	SS 304 MAT	100x500	65
130x500			
BFM.4006PG	PLASTIC GREY	130x500	65
BFM.4006PB	PLASTIC BLACK	130x500	65
BFM.4006SS	SS 304 MAT	130x500	65
130x1000			
BFM.4007PG	PLASTIC GREY	130x1000	20
BFM.4007PB	PLASTIC BLACK	130x1000	20
BFM.4007SS	SS 304 MAT	130x1000	20
200x500			
BFM.4008PG	PLASTIC GREY	200x500	20
BFM.4008PB	PLASTIC BLACK	200x500	20
BFM.4008SS	SS 304 MAT	200x500	20

CAPS

END CAP

CODE	COLOR	SIZE	PCS IN BOX
100x500			
BFM.4009G	PLASTIC GREY	100x500	-
BFM.4009B	PLASTIC BLACK	100x500	-
130x500			
BFM.4010G	PLASTIC GREY	130x500	-
BFM.4010B	PLASTIC BLACK	130x500	-
130x1000			
BFM.4010G	PLASTIC GREY	130x1000	-
BFM.4010B	PLASTIC BLACK	130x1000	-
200x500			
BFM.4011G	PLASTIC GREY	200x500	-
BFM.4011B	PLASTIC BLACK	200x500	-

LEAF HOLDER

DRAIN PROTECTION

CODE	SIZE	PCS/BOX	PRICE
BFM.300YT.100	100 MM	170	
BFM.300YT.070	70 MM	400	

BOX & COVER

FIVE SIZE OPTIONS

CODE	SIZE	PCS/BOX	PRICE
BFM.300.1008	20x20	20	
BFM.300.1009	30x30	20	
BFM.300.1010	40x40	20	
BFM.300.1011	50x50	20	
BFM.300.1012	55x55	20	

FRAME & COVER

FIVE SIZE OPTIONS

CODE	SIZE	PCS/BOX	PRICE
BFM.300.1013	20x20	20	
BFM.300.1014	30x30	20	
BFM.300.1015	40x40	20	
BFM.300.1016	50x50	20	
BFM.300.1017	60x60	20	

CHECK VALVE

BACKFLOW PROTECTION

CODE	SIZE	PCS/BOX	PRICE
BFM.300.1018	110Ø	15	
BFM.300.1019	125Ø	15	
BFM.300.1020	160Ø	15	
BFM.300.1021	200Ø	15	

CONCEALED SOAP & FOAM DISPENSERS

Ø 8 CM / TWO DISPENSER OPTIONS

FOAM

LIQUID SOAP

CODE	MODEL	Ø	PCS/BOX	PRICE
BFM.SPS.001F	FOAM	8 CM	20	
BFM.SPS.001S	LIQUID SOAP	8 CM	20	

PARAPET

WATERPROOFING ACCESSORY

CODE	SIZE	PCS/BOX	PRICE
BFM.PP0.0070	70 MM	50	
BFM.PP0.0100	100 MM	40	

PARAPET WITH LID

WITH PROTECTIVE CAPS

CODE	SIZE	PCS/BOX	PRICE
BFM.PP1.0070	70 MM	50	
BFM.PP1.0100	100 MM	40	

CORNER BALCONY SIPHON

COMPACT CORNER DRAINAGE

CODE	SIZE	PCS/BOX	PRICE
BFM.KB.0070	70 MM	70	
BFM.KS.0100	100 MM	42	

CERTIFICATES

REGISTRATIONS & COMPLIANCE

QUALITY • COMPLIANCE • TRUST

01 TRADEMARK REGISTRATION

TÜRK PATENT

MARKA TESCİL BELGESİ

No: 2023 017359 - Ticaret - Hizmet

VİLLOREN

Marka Sahibi

BFM TEKNİK YAPI MALZEMELERİ LİMİTED ŞİRKETİ

Mal / Hizmet Sınıfları

06, 11, 35

Bu marka, 6769 sayılı Sınai Mülkiyet Kanunu kapsamında, 07.02.2023 tarihinden itibaren 10 yıl süreyle korunmak üzere, 07.08.2023 tarihinde tescil edilmiştir.

Cemil BAŞPINAR

Kurum Başkanı

Registered Villoren trademark - Turkish Patent and Trademark Office

02 CE DECLARATION

CERTIFICATE

DECLARATION OF CONFORMITY CE

NAME: BFM TEKNİK YAPI MALZEMELERİ LTD. ŞTİ.

ADDRESS: HACIMAŞLI MAH. HARAÇÇI-HADIMKÖY YOLU CAD. NO:145, İÇ KAPI NO:1 ARNAVUTKÖY/İSTANBUL

Description of the Product / Ürün Tanımı:
PASLANMAZ ÇELİK VE PLASTİK LİNEER DUŞ KANALLARI, PASLANMAZ ÇELİK VE PLASTİK SİFONLAR, ENGELLİ TUTUNMA BARLARI, BANYO AKSESUARLARI, DRENAJ SİSTEMLERİ, DUŞ SETLERİ, PASLANMAZ ÇELİK ÇÖP KOVALARI VE WC FIRÇALARI, KLOZET KAPAKLARI, REZERVUAR İÇ MEKANİZMALARI, GÖMME REZERVUARLAR
STAINLESS STEEL AND PLASTIC LINEAR SHOWER DRAINS, STAINLESS STEEL AND PLASTIC SIPHONS, INVALID GRAB BARS, BATHROOM ACCESSORIES, DRAINAGE SYSTEMS, SHOWER SETS, STAINLESS STEEL DUSTBINS AND WC BRUSHES, TOILET SEAT COVERS, FLUSH TANK INNER MECHANISM, CONCELAED CISTERN

Product Commercial Brand / Marka: VILLOREN

Related Directives / İlgili Direktifler: REGULATION (EU) 2023/988 ON GENERAL PRODUCT SAFETY (GPSR)

Regulations Applied according to HARMONIZE STANDARDS: TS EN 10088-2 :2008 , EN ISO 12100, EN ISO 14120, EN 16100-4:2014, TS EN IEC 61000-6-2 :2019

CLASSIFICATIONS : CLASS
CERTIFICATE NUMBER : 102037169
CERTIFICATE CODE : BFM
CERTIFICATE ISSUE DATE : 01.11.2026
CERTIFICATE VALIDITY DATE : 01.11.2027

Declaration of conformity - valid through 01.11.2027

03 ISO 9001:2026

CERTIFICATE

BFM TEKNİK YAPI MALZEMELERİ LTD. ŞTİ.

HACIMAŞLI MAH. HARAÇÇI-HADIMKÖY YOLU CAD. NO:145, İÇ KAPI NO:1 ARNAVUTKÖY/İSTANBUL

KAPSAM: PASLANMAZ ÇELİK VE PLASTİK LİNEER DUŞ KANALLARI, PASLANMAZ ÇELİK VE PLASTİK SİFONLAR, ENGELLİ TUTUNMA BARLARI, BANYO AKSESUARLARI, DRENAJ SİSTEMLERİ, DUŞ SETLERİ, PASLANMAZ ÇELİK ÇÖP KOVALARI VE WC FIRÇALARI, KLOZET KAPAKLARI, REZERVUAR İÇ MEKANİZMALARI, GÖMME REZERVUARLAR

SCOPE: STAINLESS STEEL AND PLASTIC LINEAR SHOWER DRAINS, STAINLESS STEEL AND PLASTIC SIPHONS, INVALID GRAB BARS, BATHROOM ACCESSORIES, DRAINAGE SYSTEMS, SHOWER SETS, STAINLESS STEEL DUSTBINS AND WC BRUSHES, TOILET SEAT COVERS, FLUSH TANK INNER MECHANISM, CONCELAED CISTERN

ISO 9001:2026
KALİTE YÖNETİM SİSTEMİ
(QUALITY MANAGEMENT SYSTEM)

Kurduğuna ve uyguladığını belgelenmekte ve EKOL tarafından gerçekleştirilen denetim bu yönetim sisteminin yukarıda belirtilen standardın şartlarını karşıladığını doğrulamaktadır.

It certifies that it is established and implemented, and the audit performed by EKOL it confirms that this management system meets the requirements of the following standard.

Sertifika Numarası / Certificate Number : 102037170
Sertifika Kodu / Certificate Code : BFM
Sertifika Yayın Tarihi / Certificate Issue Date : 01.11.2026
Sertifika Geçerlilik Tarihi / Certificate Validity Date : 01.11.2027
Sertifika Periyodu / Certificate Period : 1 Yıl / 1 Year(s)

Quality Management System - valid through 01.11.2027

NOTES

NOTES

VILLOREN

2027 PRODUCT CATALOGUE

DESIGNING SOLUTIONS FOR MODERN BATHROOMS.

THE BEST SOLUTION FOR YOUR BATHROOM

BFM TEKNİK YAPI MALZEMELERİ LİMİTED ŞİRKETİ

FACTORY & HEAD OFFICE

Hacımaşlı Mah. Haraççı Hadımköy Yolu Cad.
No: 145/1 Arnavutköy, İstanbul, Türkiye

CONTACT

info@villoren.com
satis@villoren.com
www.villoren.com

SCAN TO VISIT

VILLOREN.COM